

# SQT-1022

## SEQUENTIAL TIMER



## TECH SPECS

Model	SQT-1022
Dimension (HxWxD) mm	96 x 96 x 54
Range	99.99 Sec / 999.9 Sec / 99.59 Min.Sec 99.59 Hrs.Min / 999.9 Hrs ( Configurable )
Input	Micro Switch, Trigger, Power ON
Output	4 Relay,5A, 230V AC ( Resistive load )
Operating Mode	Delay ON / Delay OFF / Cyclic Mode ( Configurable )
Power Supply	100-270V AC, 50/60 HZ

NOTE :- Cascading facility available in 4 Relay sequential timer

## APPLICATIONS

Dust Collector

Food Processing

Bag Filtration

Hydroponic

Pharmaceutical

# Technical Specifications

Input	
Start Input	Micro Switch, Trigger, Power ON
Time Range	99.99Sec / 999.9Sec / 99.59Min.Sec / 99.59Hrs.Min / 999.9 Hrs.
Accuracy	± 0.5 % of setting

Output	
Relay Contact	4 Nos , NO and Common
Contact Rating	5A @ 230V AC ( Resistive load )

Power Supply	
Supply Voltage	100 - 270V AC,@ 50/60 Hz
Power Consumption	5VA Max

Environmental	
Operating Temperature	0 to 55 °C
Storage Temperature	0 to 70 °C
Humidity	95% RH Non-condensing

Display	
Display	UPPER:- 4 Digit 7 seg 0.56" Red LED Display  LOWER:- 4 Digit 7 seg 0.4" GREEN LED Display
LED Indication	Relay Status Time Unit


Function	
Modes	Delayed ON / Instant ON Cycle Mode
Time Range	99.99 Sec 999.9 Sec 99.59 Min. Sec 99.59 Hrs. Min 999.9 Hrs
Resolution	0.01 Sec
Counting Direction	UP/ Down
Setpoints	4
Time Setting	Front Keypad
Reset	Front , Remote Power Interruption
Memory Retention	10 Years
Configuration Lock	Password
No of Channel	4 Channel
Cascading facility	UP to 1 + 3 Parallel

Mechanical	
Mounting	Panel
Terminal Cable Size	Barrier Type terminal Cable Size ( 2.5 mm <sup>2</sup> )

## Mechanical Dimension

Outline Dimension (mm)	Panel Cutout Dimension (mm)

## Connection Diagram



Multispan reserves the right to change specifications without prior notice. Printing and typographical errors reserved.  
Product improvement and upgrade is a constant procedure. So for more updated operating information & support contact us.

### Multispan Control Instruments Pvt. Ltd.

72/B, Phase 1, GIDC Estate, Vatva, Ahmedabad-382445, Gujarat, India.

+91-7575805463/7623001206

support@multispanindia.com

Follow us



www.multispanindia.com